

Images onto the Extraordinary

Industrial grade machinery manufactured Since 1885



State of the art press technology built to last

DIGITAL KNIGHT

The Digital Knight line of transfer presses is the culmination of over four decades of perfecting the design, mechanics and technology of heat press machinery. All of these commercial digital presses by Geo Knight & Co boast heavy steel welded frameworks built to hold up over many years of heavy use and stress.

At the heart of these machines is a state-of-the-art digital microprocessor control and proprietary heat control circuit field tested beyond 10 million heating cycles. This allows for an unprecedented 3 year warranty on the control. The Digital Knight controller features an oversized LCD display for easy reading of time, temperature, and pressure/height gauge readings. The controller has a surprising array of extremely useful features, such as user programmable presets, automatic timing, finished cycle recording, selectable alarms and much more. Overall, the extremely accurate control and intuitively easy to use interface makes for a reject-free production environment.

The heaters on all platens of the Digital Knight line use an exclusive coil winding technology for dramatically superior evenness and speed of heating. Our SuperCoil-MicrowindingTM heater technology outperforms and out heats all else. Of course, all Geo Knight & Co heat platens are lifetime warranted and guaranteed against cold spots.




 $\begin{array}{c} \textbf{Digital Knight} \\ \textbf{SuperCoil-Microwinding}^{TM} \ \textbf{heat platen} \end{array}$

Brand X heat platen

1<205

DK2OS 16" x 20" Digital Swinger

- Fully digital temperature control
- Automatic digital timer
- Digital pressure/height gauge
- 70 Programmable presets
- Solid steel welded framework
- Interchangeable tables
- SuperCoil-MicrowindingTM heater technology
- Accommodates materials up to 1" thick
- Temperature readout accuracy +-2°F.
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated ¾" thick heat platen
- Lifetime warranty on heat platen
- 3-year warranty on control
- 1 year warranty on entire press
- Elec: 120V-1800W-15A / 220V-1800W-8A
- Dims: 32"L x 18"W x 18"H 200 lbs



14205 DK2OS Twin Station Upgrade

Adding a twin shuttle upgrade allows the operator to unload and load materials while a cycle is pressing. It also negates heat platen idle time while the operator prepares the table. Production is maximized with no additional labor cost. This shuttle is solid aluminum, holding any heavy or rigid imprintable products as well as fabrics without concern.

For almost double the productivity per single operator, the Digital Knight Twin Shuttle Upgrade is an unbeatable value.

255 DK25S 20" x 25" Digital Knight Jumbo Swinger

The *Digital Knight* **DK20JS** features the same manual swing away framework as the DK20S 16x20 swinger, but with an oversized large heat platen. The 20"x25" platen accommodates large transfers and materials beyond what our standard sized heat platens can handle. Due to the significant size increase of the platen, the DK20JS 20"x25" swinger comes with a stand for extra secure stability, even when swung completely around 180°. A 208V/220V electrical panel is mounted to the rear of the stand

- Fully digital temperature control
- Automatic digital timer
- Digital pressure/height gauge
 70 Programmable presets
- 70 Programmable presets
- Solid steel welded framework
- $\bullet \qquad SuperCoil\text{-}Microwinding^{TM} \ heater$
- Accommodates materials up to 1" thick
- Temperature readout accuracy +-2°F.
- 1 year warranty on entire press
- User selectable end-of-cycle alarms
- Teflon-coated ¾" thick heat platen
- Records number of pressing cycles done
- Elec: 220V-4500W-20A
- Dims: 32"L x 26"W x 42"H 420 lbs

205P DK2OSP 16" x 20" Digital Knight Automatic Air Swinger

The *Digital Knight* **DK20SP** is an air-operated, automatic 16x20 swing-away heat press with a state-of-the-art control system and heavy-duty solid steel welded framework. The smooth automatic pressing and push-button activation provides a productive fatigue-free operation. The heat platen uses SuperCoil-MicrowindingTM heater technology providing extremely even heat, fast recovery & fast heat up times. In a constant-use heat press environment where a manual press just isn't enough, the DK20SP offers an affordable and professional automation solution. *** **ALSO**

AVAILABLE AS 20" X 25" DK25SP (w/stand)

- Automatic air operated pressing
- PSI pressure control gauge
- Fully digital temperature control
- Automatic digital timer
- 70 Programmable presets
- SuperCoil-MicrowindingTM heater
- Temperature readout accuracy +-2°F.
- Solid steel welded framework
- 1 year warranty on entire press
- User selectable end-of-cycle alarms
- Teflon-coated 3/4" thick heat platen
- Records number of pressing cycles done
 Elec: 120V-1800W-15A/ 220V-1800W-8A
- Dims: 32"L x 18"W x 18"H 230 lbs



The *Digital Combo* is a multipurpose swing-away heat press. This fully digital 14"x16" swing-away press boasts all of the digital features of the DK20S digital swinger. This includes Digital Temperature, Time, and a Digital Pressure/Height gauge,

as well as programmable presets, user definable alarms and a host of other digital features. The construction is a solid steel welded framework, the press features SuperCoil-MicrowindingTM heater technology, and carries the same warranties as the Digital Knight line of presses. However, the popular success of the Digital Combo lies in its instantly interchangeable (under 1 minute change-out time and hot swappable!) system of heat platens and tables.

Available for this one press is every attachment necessary to professionally imprint T-Shirts, Caps, Plates, Tiles, Mugs, Memo Cubes, Miscellaneous Plastics, Woods, Metals, Fabrics and much more. The interchangeability is performed quickly and safely. If your product offering is going to reach beyond just flat & fabric items, the Digital Combo is the superior machinery solution.



Caps are flawlessly printed with a curved heater block and curved bottom form with a special cap stretching device.

Optional interchangeable bottom forms available.

The plate die platens feature quickly interchange able components for allowing the circular heating element to press inside ceramic plates. Also included is a template tray and pad for centering the plate.

Due to its swing-away design and wide adjustment range, The Digital Combo excels at handling extremely thick items such as plaques, tile, woods, plastics, and other imprintable items that can not be pressed in conventional T-Shirt presses.

The ½-mug attachment for the Digital Combo allows the imprinting of mugs 1 side at a time. With dye sublimation transfers, full wrap images can be perfectly applied in multiple pressings.

Memo cubes are properly clamped and pressed in the cube fixture. Images are successfully pressed around the cubes' sides for a continuous image wrap.

Specifications:

DC14 120V-1300W-10A / 220V-1500W-5A DC16 120V-1500W-13A / 220V-1500W-7A Dimensions (both): 18"W x 24"D x 20"H - 135 lbs

Digital Combo Twin Station Attachment

Adding a twin shuttle upgrade allows the operator to unload and load materials while a cycle is pressing. It also negates heat platen idle time while the operator prepares the table. Production is maximized with no additional labor cost. This shuttle is solid aluminum, holding any heavy or rigid imprintable products as well as fabrics without concern.

For almost double the productivity per single operator, the Digital Combo Twin Shuttle Attachment is an unbeatable value. The Twin Attachment will also work with the DC16AP Air Operated press, for an automatic, twin station small footprint production solution.

TEAP DC16AP 14" x 16" Digital Combo Automatic Air Swinger

The DC16AP is an automatic air operated multipurpose swing away press. It uses the same exact frame and interchangeable design as the manual Digital Combo press. It has the same multipurpose functionality, but is a push-button air operated automatic press.

For users who desire the tabletop footprint of the Digital Combo, and need its versatility, but desire a more productive automatic pressing and automatic release action, the DC16AP is the perfect machine. This press is also used heavily for large

quantity small label application, with the smaller 6"x8" label press head and bottom tables. All attachments used on the manual Digital Combo press including the Cap, Plate, Tile, Cube, Twin-Shuttle, and even bottom heat are fully compatible with the Air Operated Automatic Digital Combo press.


394 Shuttle Press (BOSS Embossing Press)

The 394 Shuttle Press is a high production, industrial factory grade twin station heat transfer press. Available in platen sizes of 16"x20" and 20"x25", the 394 Shuttle Press removes operator inefficiency and pressing delays with its automatic pressing system, twin shuttle table assembly and low maintenance industrial design.

Coupled with the Digital Knight control and a solid steel structure, the 394 provides extended dependable service in high-demand, constant production environments. The 394 exerts up to 12,000 pounds of force, the capacity necessary for Embossing. The extra high wattage heater will keep up with any heat demand, ensuring no heat recovery concerns.

394-TS 16"x20" 220V-3600W-16A 394-MTS 20"x25" 220V-4500W-16A

Our line of *Digital Knight* clamshell presses boasts the heaviest pressure a clamshell can apply, using heavy steel welded structures, while maintaining excellent low-weight portability. These presses open much wider and lift up far away from the rear of the pad, staying away from user hands. The extra long & wide handle and smooth gas shock lift make for the easiest and safest clamshells to operate on the market!



- Automatic digital timer
- 70 Programmable presets
- Super-portable light machine weight 103 lbs!
- Extreme high pressure capability
- Hardened high-strength pivot points
- Interchangeable tables & Solid Steel framework
- SuperCoil-MicrowindingTM heater technology
- Self-lifting gas spring, & wide opening
- Temperature readout accuracy +-2°F.
- User selectable end-of-cycle alarms
- Records number of pressing cycles done
- Teflon-coated 3/4" thick heat platen
- Lifetime warranty on heat platen
- 3-year warranty on control
- 1 year warranty on entire press
- Elec: 120V-1800W-15A / 220V-1800W-8A
- Dims: 36"L x 17"W x 16"H 103 lbs



Adding a twin shuttle upgrade to the DK20 clamshell allows the operator to unload and load materials while a cycle is pressing. It also negates heat platen idle time while the operator prepares the table. Production is maximized with no additional labor cost. This shuttle is solid aluminum, holding any heavy or rigid imprintable products as well as fabrics without concern.

For almost double the productivity per single operator, the Digital Knight Twin Shuttle Upgrade is an unbeatable value.

DK16 14" x 16" Digital Clamshell

The DK16 has all of the same features as the DK20 clamshell, with a mid-sized 14"x16" platen. The DK16 is the ideal portable professional grade T-Shirt press: with a weight of only 83 lbs!

(A twin shuttle is not available for *the DK16)*





Elec: 120V-1500W-13A / 220V-1500W-7A


Dims: 32"L x 17"W x 16"H - 83 lbs

1<20 1<16

DK2O and DK16 "POP-UP" add-on Feature Add AUTOMATIC Release to your clamshell!

Available for the DK20 and DK16 is our new automatic release feature. This amazing high-tech upgrade makes your Digital Knight clamshell act like a semi-automatic, air operated press, without the compressor! Simply close the press as you normally do, and at the end of the digital timing cycle the press releases automatically.

- Electromagnetic assist lockdown and auto-release design.
- An excellent feature for sensitive transfer applications and longer dwell times that need precise timing & release.
- Can work in tandem with the DK20 twin shuttle upgrade for a twin table, auto release, super-system!
- The dual gas shocks open the press safely and in a controlled, smooth, hydraulic motion... Unlike other models that unsafely fly open under fast mechanical spring tension.





DK7 4" x 7" Digital Cap Press

- Fully Digital Cap Press Same features as the DK20.
- Cap hold-down device holds caps tight to pedestal.
- *Optional* Interchangeable bottom forms available:
- a. Euro-Low Crown
- b. Kids-Youth
- c. Standard 4x7 form (included)
- Elec: 120V-350W-3A / 220V-350W-2A
- Dims: 19"L x 12"W x 18"H 60 lbs

DK8 6" x 8" Digital Label Press

- Fully Digital 6"x8" Heat Sealer - Same features as the DK20.
- Tall loading pedestal provides plenty of drape space.
- Includes (3) Interchangeable bottom tables: 6"x8", 3"x5", 3"x3".
- Elec: 120V-350W-3A/220V-350W-2A
- Dims: 19"L x 12"W x 18"H 70 lbs



DK7T 4" x 7"
Digital *Twin* Cap Press

High production twin loading version of the DK7.

The top heat platen pivots back and forth between 2 loading stations for optimum production.

182[

DK8T 6" x 8" Digital *Twin* Label Press

High production twin loading version of the DK8.

Includes 2 sets of interchangeable bottom tables 6"x8", 3"x5", 3"x3"





1<3

<u>DIGITAL KNIGHT</u>

Digital Mug Press

The DK3 Digital Mug Press is a full wrap-around, handle to handle, top-to-bottom printing mug press. It can press images up to 5" high and as close as 3/4" from the handle, depending on the mug size. The DK3 is fully adjustable, accommodating all mugs available on the market. The solid steel framework and die-cast heavy pressure clamp assembly provides an industrial grade framework for full bleed transfers on even the most demanding mugs.

As with all Digital Knight presses, the DK3 utilizes a state of the art digital control system with an unprecedented 3-year warranty on the heat-control electronics. With digital temperature, time and programmable presets, cycle counter and many other features, the consistency and productivity of mug printing is maximized.

At the heart of the DK3 is the SuperCoil MicrowindingTM heater technology. This patented stainless steel mug heater band technology winds tightly and closely together throughout the entire platen for extremely even heat, fast recovery & fast heat up times. The DK3 will heat up in only a few minutes and runs constantly at the set temperature. Unlike other mug presses that use silicone blankets with short life-spans and even shorter warranties, the DK3 boasts an amazing 3-Year / 3,000 mug warranty.

For the absolute best at a competitive price, there is no better solution for pressing mugs than the DK3 Digital Mug Press.

Features & Specifications

- Fully digital temperature control
- Automatic digital timer
- Programmable presets
- SuperCoil-MicrowindingTM heater
- Accommodates all standard mug sizes
- Records number of pressing cycles done
- 3-year/3,000 cycle warranty on heat platen
- 3-year warranty on control
- 1 year warranty on entire press
- Elec: 120V-450W-4A / 220V-450W-2A
- Dims: 13"L x 15"W x 15"H 30 lbs



Low Cost Presses with Professional Results

The JetPress machines are a heavy duty line of low-cost, economical swing away heat presses. Intended for start-ups, home use and non-commercial, hobby-oriented transfer printing, the JetPress machines are ideal for inkjet, bubble-jet, laser, copier & sublimation ironon transfer paper users seeking professional quality imprinting results, without the costs associated with commercial press equipment.

The JP12 and JP14 feature a Digital Countdown Timer, adjustable Temperature Control and Temperature Readout, and adjustable Pressure. These presses apply several hundred pounds of clamping force with little operator effort, at much better pressure and temperature than a hand iron can deliver, at a fraction of the time.

For light usage & portability, the JetPress line is the perfect answer... professional results for a fraction of the cost of commercial heat press equipment!

JetPress 12

- 9" x 12" Heat Platen
- Digital Countdown Timer w/ alarm
- Adjustable height for items over 1" thick
- Adjustable Temperature control (over 400°F)
- Accurate Temperature gauge
- Smooth swing away action
- · Solid steel welded frame
- Silicone pad pressing surface
- Heating indicator light
- Modular cord & plug
- One Year Warranty

Weight: 30 Lbs

Electrical: 650W/5.4A/120V Dimensions: 16"D x 18"W x 10"H

JetPress 14

- 12" x 14" Heat Platen
- Digital Countdown Timer w/ alarm
- Adjustable height for items over 1" thick
- Adjustable Temperature control (over 400°F)
- Accurate Temperature gauge
- Smooth swing away action
- · Solid steel welded frame
- Silicone pad pressing surface
- · Heating indicator light
- Modular cord & plug
- One Year Warranty

Weight: 60 Lbs

Electrical: 1200W/10A/120V Dimensions: 25"D x 16"W x 24"H



W7X!-53E77

Heat Platen sizes:

30" x 40"

40" x 64"

Available in Manual or Air-Op **Automatic Design**

Available configurations:

Single Loading Table (standard) Twin Station Teflon Shuttle (optional) Top & Bottom Heat (optional - manual only)



pressure needs than the Manual version. The MAXI•PRESS **AIR** provides a more production-oriented press with a single front loading table (or optional rigid twin station shuttle) Its high pressure pneumatic lifting system is powered by a dual air-bag, 10-ton, 20,000 lbs max force, self leveling mechanism. The press is activated with a push of a button, automatically left and right sides of the press without hindrance.

Ideal applications that the MAXI•PRESS has performed flawlessly include: large fabrics & piece goods, full-bleed printed garments, tiles, banners, floor mats, carpets, mouse pads, plastics, sheet metal and much more.

7he STRION



The 931 TRITON is a large format pneumatic heat transfer press built for pressing a wide variety of materials. It is geared towards high-production pressing of multiple piece goods as well as 4' x 8' sheet materials.

The 931 TRITON answers the demand for a more stable, solid work base along with the capability of pressing transfers in an oversized, large-area environment. Typical applications include heat transfer printing onto fabrics such as banners & garments, thicker materials such as carpets & mats, rigid goods like tile & ceramic, as well as wood, sheet metal, plastics, polyester coated synthetics and a vast range of other substrates. Typical processes used are sublimation printing, hot splits, foiling, embossing, laminating, hot-stamping, heat sealing and other applications requiring a massive size heat transfer press.

™\$TRiTON Features:

Digital Integrated Temperature & Time control
Available in 240V 3-Phase or 480V 3-Phase Power
Available in Single shuttle or Dual loading table format
Multi Air Bag Pressure design for Self Leveling of Pressure
Precision PLC Motor Controlled Automatic Indexing of Tables
Uniform Lift / Parallel Platen Action & Adjustable Applied Force
Productive Foot Pedal Operation & Emergency Release Safety Circuit
Electronic Photo Eye Safety Sensor Light Curtain Around Heat Platen
2" Thick Solid Mirror Surface Ground Aluminum Heater Platen
Oversized heat platens ranging up to 8ft x 12ft available on request

Industrial Air Bag Pneumatics provide many times heavier pressing force than cylinders. They are also self-leveling and 100% maintenance free.

Photo Eye safety circuitry provides safety protection around the heat platen.

Redundant Micro Switches confirm location of loading tables before beginning pressing cycle.

High-Strength Roller Cams & smooth computer controlled indexing allow the loading tables to quietly & gently bring the work in and out of the pressing area.

High Wattage Fire Rod Heaters are embedded deep in the core of the extra thick 2" aluminum heat platen. The platen is gun-barrel drilled and heaters are placed in close proximity along the entire length of the heat platen for the most even heat distribution possible over the entire heat platen surface.



54" x 72"

54" x 60"







Digital Knight Universal Stand

Heavy duty solid steel stand. Locking and pivoting wheels. Ships disassembled and assembles in minutes. Keeps press mobile and easy to move. Makes space for tight locations & fully compatible with models: DK20S, DK20SP, DC16, DC16AP, C20, DK16.

Accessories



Digital Combo 14x16 Bottom Heated Pedestal

Separately powered and controlled bottom heated pedestal. Useful for heating from the back side of embroidered patches & appliques while pressing. Also used for pressing double sided thick or hard items simultaneously. For models: DC16, DC16AP

Teflon Wraps

Not just an accessory, a necessity.

Allows garments and fabrics to slide
on and off effortlessly & fast!

Keeps rubber pad from pulling
up, and easily wipes clean.
For 16x20 and 14x16
presses.

Teflon Sheets

Non-stick teflon sheets are the perfect cover sheet material for vinyl lettering and other application.

Nomex Pads

Soft and heat resistant nomex pads are used for tile printing and radius wrapping. Also useful for extra soft material support.

Heat Conductive Silicone Pads

Conductive 1/8" thick green high temp pads for miscellaneous rigid surfaces.

DK8 and DC 6x8 Bottom Heat

Same as 14x16 bottom heat pedestal above but for smaller applications. For models: DK8 & DK8T label presses, DC8, DC16, DC16AP.





Interchangeable Bottom Tables

Many different sized instant quick-change drop-on bottom tables are available for the DK20S, DC16, DC16AP, DK20, DK16, DK8, DK7 presses. These tables will help accommodate any item imaginable. Custom table requests welcome!

The <u>Digital Knight</u> line of presses are available from: